



# 28" UHD GLASSES FREE 3D PLAYER

Model no: No8oLo28



---

## 1. Description

This is a new generation glasses free 3D multi-media player with internet functions and networking functions. It is based on Android system, with output of ever best 3D effect, sharp and clear 3D images with strong pop out, immersive. It is the world no 1 with super multi-view (up to 54 views) glasses free 3D player.

This new generation glasses free 3D multi-media player has serial sizes from 28", 43", 55" up to 100", which applies the latest lenticular technology with new structure and copyright EV803 super 3D imaging processing engine, to convert the 2 view 3D video instantly to super multi views (54 views), output the ever best quality 3D images with high clarity, high brightness, strong 3D depth and substantially eliminate the ghost image and crosstalk.

## 2, Product parameter

Model	N080L028
LCD display	
Screen type	28"LCD
Screen resolution	3840 x 2160
Dynamic contrast	1000:1
Brightness	300cd/m2
Screen ratio	16:9
Glasses free 3D parameter	
Best view distance	1.5m - 4.0m
Viewing angle	178°
Best viewing angle	±45°
3D effect	3D pop out strong, no ghost image, no dead zone
3D technology	Lenticular
No of views	Super multi view
3D format	3D side by side, up and down, 3D frame sealed, 3D 9 tiles
2D format	Current available 2D format

2D to 3D conversion	2D file to convert into 3D automatically
<b>Display and Driver parameter</b>	
OS	Android 4.2.2
Processor	Rockchip RK3066, CPU dual core ARM Cortex A9 1.5 GHz ( 1.6GHz), GPU Quad core ARM Mali-400 MP
RAM	DDR3 1G
Memory	8G (ext. TF/USB)
Input interface	HDMI,VGA,USB
Audio	L/R stereo channel
Media format	Video: MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, flv etc. mainstream format  Audio: MP3 etc.  Photo: JPG, JPEG, BMP, PNG etc.
Flow rate	Support 1080P@60Hz FHD
<b>Electronics parameter</b>	
Power	AC100V - 240V(50Hz-60Hz)
Consumption	55W
Standby	≤0.5W
Working temp	0°C~50°C
Working humidity	20%~90%, no dew
Storage temp	-20°C~60°C
Storage humidity	10%~90%, no dew
<b>Physical parameter</b>	
Dimension	675.5(W)*396(H)*56(D)mm
New weight	14KG
Dimension with stand	675.5(W)*525(H)*240(D)mm

New weight with stand	17KG
Installation	Stand or wall mount
<b>Function highlights</b>	
Main functions	<p>Automatically recognize file format in 2D (to convert into 3D and play), 3D side by side, 3D up/down, 3D frame sealed, 3D 9 tiles, and play.</p> <p>Support single set working plug and play, networking display or WIFI networking, or mobile networking installations.</p> <p>With world unique technology of super multi-view, it achieves the best 3D image quality with strong pop out effect, clear and sharp 3D depth, high clarity, without ghost image and crosstalk, the ever best impressive 3D experience.</p> <p>Support HDMI/VGA/USB etc. input interface, with input from Blu-ray player, PC, USB stick etc., very easy operation, for 3D movie or 3D ad commercials.</p> <p>With latest content management system based on B/S structure, the operator can control and monitor each set working conditions, also with available of group or individual control from the server.</p> <p>Support advanced 2D to 3D conversion and play instantly.</p>

